



RBI

Est. 1919

Harvester Products

EDITION 1 | www.rbi.com

3/4" chains + bars

Oregon 3/4" Pitch Harvester 11BC and 11H Chain

Oregon 11BC Chipper Cutter chains deliver a reliable stay-sharp performance. The 3/4" pitch and .122" gauge chain are durable, and the large cutters take bigger bites out of the toughest wood.

Oregon 11H Semi Chisel Cutter chains offer superior strength and durability. Featuring 3/4" pitch and a rounded edge on the cutters, the Semi Chisel is perfect for high-performance tasks.

OREGON

11BC Chipper Cutter



11H Semi Chisel Cutter



SKU	CROSS REF	POPULAR APPLICATION
11H052E / 11BC052E		CTR 500 - 31" Bar / Southstar QS500
11H053E / 11BC053E		Prentice PD46 / LogMax 7000XT
11H054E / 11BC054E		Southstar QS500
11H055E / 11BC055E	G7SP-55E	Prentice PD57 / Fabtek FT180, FT240, Series 2000 / Timbco 24", 28" or 33" Sawhead / Waratah HTH24, HTH624
11H056E / 11BC056E	G7SP-56E	CTR 314, 400, 450, 500 - 34" bar / Waratah HTH623C / Southstar QS600
11H057E / 11BC057E	G7SP-57E	Prentice PD57 / Fabtek FT180, FT240, Series 2000 / Timbco 24, 28, 33" Sawhead / Southstar TS585
11H058E / 11BC058E		Waratah D230, D240, D250, DS260 / Hudson Topping Saw
11H059E / 11BC059E		CTR 450, 500, 550- 36" bar / Southstar QS600 / Waratah HTH22, HTH26, HTH234, HTH626
11H060E / 11BC060E	G7SP-60E	CSI 143, 243- 37" bar / Fabtek FT180, FT240, Series 2000 / Huldins Supersaw 4000S / Riley 2800B, DHTC20, DM20, HG2800B, RCDHT20C, RSS5000 / Waratah FL235, HTH626
11H061E / 11BC061E		Riley 4300C, 4800C -38" bar
11H062E / 11BC062E		Southstar QS630
11H063E / 11BC063E		
11BC064E		
11H065E / 11BC065E		
11H066E / 11BC066E	G7SP-66E	CTR 320, 426- 44" bar / Waratah FL235 / Timbco 24", 28" or 33" Sawhead
11H067E / 11BC067E		Riley 4800C - 44" bar
11H068E / 11BC068E		CSI PTD264 / 264 Ultra, early PTD496- 44" (43") bar
11BC069E		
11H073E / 11BC073E		
11BC074E		
11BC075E		CSI PTD496
11H080E / 11BC080E		
11H081E / 11BC081E		
11H082E / 11BC082E		CSI DL4200
11H083E / 11BC083E		
11BC088E		CTR 36IP

SKU	CROSS REF	POPULAR APPLICATION
11H089E / 11BC089E		FEC 1550, 1550A, 1550HDT, 1740C, 2100, 2550, 2250B, 2550C, 3500, Hydro Saw Buck
11H090E / 11BC090E	G7SP-90E	CTR 40, 42, 42-1A, 45 - 58" bar
11H091E / 11BC091E		
11H092E / 11BC092E		
11BC094E		
11BC095E		
11H096E / 11BC096E	G7SP-96E	CSI DL4400 / CTR 42IP / Riley 6600B, BCL43, BCL4300, HG3500, HG6600, HG6600B, HG6600B-LM
11H097E / 11BC097E		
11H098E / 11BC098E		
11BC103E		
11H104E / 11BC104E		
11H106E / 11BC106E		CTR 50, 50 Maxie, 50IP - 64" Bar
11H107E / 11BC107E		
11H108E		
11BC110E		
11H115E		
11BC118E		
11BC120E		
11BC121E		
11H124E / 11BC124E		
11H136E / 11BC136E		
11H140E		
11BC174E		
11H050R / 11BC050R	G7SP-50R	BULK 50 Foot Reel

**50' BULK
REELS
AVAILABLE**

11H050R / 11BC050R



Oregon 3/4" Pitch Chain Repair Parts

OREGON

LEFT HAND CUTTER		RIGHT HAND		TIE STRAP		PRESET TIE STRAP		DRIVE LINK	
SKU	PRODUCT	SKU	PRODUCT	SKU	PRODUCT	SKU	PRODUCT	SKU	PRODUCT
P24573	LH Cutter for 11BC	P24574	RH Cutter for 11BC	P24569	Tie Strap for 11BC/11H	P24577	Preset Tie Strap for 11BC/11H	P107543	Drive Link for 11BC/11H
P107541	LH Cutter for 11H	P107542	RH Cutter for 11H						

Oregon 3/4" Harvester RSN Guide Bars

OREGON


3/4" pitch harvester replacement sprocket nose (RSN) guide bars deliver superior performance in demanding, high speed conditions. This bar resists chipping and features outstanding springback. High-grade alloy-steel material and induction-hardened bar rails make it tough and durable.



SKU	CROSS REFERENCE	POPULAR APPLICATION
281SNCT232		Ryan
311SNCT219		Waratah
321SNCT146	305032	Southstar
331SNCT229		Fabtek
331SNCV127	400877	Risley
341SNCJ134	400869	Valmet/Timberline
341SNCT043	400686	Timbco / SS / Hytek / Hahn
341SNCT133	CTR-43024082 / 400582	CTR 314 / 400 / 450 / 500 / Riley
341SNCT138	401501	Hultdins
341SNCT146	305034	Southstar
341SNCT151	400667	Waratah / Timberjack
351SNCT219		Waratah
361SNCT043		Fabtek
361SNCT133	CTR-43024228 / 400584	CTR 450 / 500 / 550
361SNCT138	401791	Logmax / Hultdins
361SNCT146	305036	Waratah / Southstar
361SNCT208	10080849 / 401560	CTR 450 late s/n / Hudson
371SNCK205	400641	Bell
371SNCT190	400468	CSI 143, 243
371SNCT231		Ryan RY36-122BC
371SNCV127	400860	Risley
381SNCT043	400794	Timbco / SS / Hahn
381SNCT146	305038	Southstar
381SNCT208	10080815 / 400584	CTR 500, 550 late s/n / Riley
381SNCT221		Riley
401SNCT130	400935	Multitek
401SNCT138	400936	Risley / Logmax / Hultdins / ForPro
401SNCT146	305040	Southstar
401SNCT151		Waratah
431SNCT043	400808	Timbco
431SNCT190	401054	CSI 264 / 264 Ultra delimber
441SNCT210	10081374 / 401559	CTR 320 / 426
441SNCT221		Riley
451SNCT138	401168	Hultdins / Lako
481SNCT146	305048	Southstar

How the harvester guide bar numbering system works

Oregon guide bar part numbers are printed on the bar package and etched on the bar body. Here's what each digit means:



Oregon 3/4" Harvester DE Guide Bars

OREGON

Oregon double-ended (DE) pond & deck guide bars are designed to fit a specific range of slasher-type timber processing equipment. These bars are available in both (A) symmetrical and (B) asymmetrical configurations.



SKU	CONFIGURATION	CROSS REFERENCE	POPULAR APPLICATION
511DEB9136	(A) symmetrical	400469	CSI DL4200 slasher
581DEB9136	(A) symmetrical	10048727 / 400585	CTR 42-1A
511DEC9135	(A) symmetrical	401282	FEC / Hudson
581DEB9164	(A) symmetrical	401084	FEC / Hudson
581DEC9135	(A) symmetrical	401335	FEC / Hudson
601DEA9137	(A) symmetrical		SDK
651DEC9135	(A) symmetrical	401241	FEC
581UEB9155	(B) asymmetrical	10048723 / 400586	CTR 421P
591UED9191	(B) asymmetrical	400540	CSI 4400 slasher
641UEAH175	(B) asymmetrical	200302 / 400726	CTR 50 Maxie saw
641UEB9155	(B) asymmetrical	40002112 / 400624	CTR 52-1a
661UEB9155	(B) asymmetrical	10048724 / 400745	CTR 501P slasher
581UEAP207	(B) asymmetrical	401798	Riley

Oregon 3/4" Harvester Replaceable Nose

Choose 3/4" noses when cutting the toughest wood to maximize the life of your bar. These replaceable noses are made from specialized steel forged for durability and toughness.

SKU	PRODUCT
40603A	3/4" Replaceable Tip
525152	Rivet Kit - 3/4" pitch, 0.122" gauge, 25 rivets per package



.404" chains + bars

Oregon .404" Pitch Harvester 18HX Micro Chisel Chain

Micro Chisel chains are rugged and dependable. The .404" pitch gives you plenty of power, and the cutters have a smaller radius, allowing you to work corners easily with less horse power.

OREGON



SKU	POPULAR APPLICATION
18HX053E	
18HX055E	
18HX062E	
18HX065E	
18HX066E	Caterpillar / Valmet
18HX067E	
18HX068E	
18HX069E	
18HX070E	John Deere / Waratah
18HX071E	LogMax / Prentice / Waratah
18HX073E	
18HX074E	Blockbuster / Caterpillar / Hultdins / Prentice / Risley / Southstar / Valmet / Waratah
18HX075E	Caterpillar / Lako / Logset / Prentice
18HX076E	Ponsse / Valmet
18HX077E	Harricana / Propac
18HX078E	Hultdins / Prentice
18HX079E	LogMax
18HX081E	
18HX082E	Timberwolf
18HX083E	
18HX084E	
18HX085E	Blockbuster / Caterpillar / Hultdins / LogMax / Logset / Timbco / Timberjack / Waratah / Woodking
18HX086E	Caterpillar / Hultdins / LogMax / Timbco / Timberjack / Valmet / Waratah
18HX087E	Caterpillar / Denharco / Hydro-Ax / Ponsse / Rottne / Valmet / Waratah

SKU	POPULAR APPLICATION
18HX088E	Denharco / Harricana / Hultdins / Lako / LogMax / Propac
18HX089E	Ponsse / Valmet / Woodking
18HX090E	Caterpillar / LogMax / Ponsse / Timberjack / Waratah
18HX091E	Ponsse
18HX092E	Denharco / Hultdins / LogMax
18HX093E	Bell / Hultdins / John Deere / LogMax / Timberjack / Waratah
18HX094E	LogMax / Waratah
18HX095E	Hultdins / Ponsse / Timberjack
18HX096E	Cranab / Risley / Valmet
18HX097E	Denharco / Hultdins / Lako / Ponsse / Woodbine / Woodking
18HX098E	Lako / Ponsse / Woodbine
18HX099E	Blockbuster / Denharco / Hultdins / LogMax / Rottne / Waratah
18HX100E	Blockbuster / Lako / Waratah
18HX102E	
18HX103E	LogMax / Valmet
18HX104E	Lako
18HX105E	
18HX106E	
18HX108E	
18HX109E	Hultdins / Rotobec / Woodking
18HX126E	
18HX149E	
18HX159E	
18HX025R	BULK 25 Foot Reel
18HX100R	BULK 100 Foot Reel

← BULK REELS

Oregon .404" Pitch Harvester 19HX Chamfer Chisel Chain

Chamfer Chisel chains are taller and more aggressive than the 18HX Micro Chisel model. They are designed to offer best-in-class durability, and improved chip clearance.

OREGON








SKU	POPULAR APPLICATION
19HX064E	
19HX065E	
19HX066E	
19HX070E	
19HX071E	
19HX072E	
19HX074E	Valmet / Waratah
19HX075E	
19HX076E	
19HX077E	
19HX078E	
19HX079E	
19HX080E	
19HX081E	
19HX082E	Timberwolf
19HX084E	
19HX085E	Blockbuster / Caterpillar / Fabtek / Hultdins / LogMax / Logset / Timberjack / Waratah / Woodking

SKU	POPULAR APPLICATION
19HX086E	Denharco / Hultdins / LogMax / Timbco / Timberjack / Valmet / Waratah
19HX087E	Caterpillar / Denharco / Hultdins / LogMax / Timbco / Valmet / Waratah
19HX088E	Denharco / Harricana / Hultdins / Lako / LogMax / Propac
19HX089E	Cranab / Lako / Ponsse / Valmet / Woodking
19HX090E	Cranab / LogMax / Ponsse / Timberjack / Waratah
19HX091E	Ponsse
19HX092E	
19HX093E	Bell / Hultdins / John Deere / LogMax / Timberjack / Waratah
19HX094E	LogMax / Waratah
19HX095E	
19HX096E	Cranab / Risley / Valmet
19HX097E	Denharco / Hultdins / Lako / Ponsse / Woodbine / Woodking
19HX098E	Lako / Ponsse / Woodbine
19HX099E	
19HX101E	Denharco / LogMax
19HX105E	
19HX109E	
19HX100R	BULK 100 Foot Reel

← BULK REEL

Oregon .404" Pitch Chain Repair Parts

OREGON

LEFT HAND CUTTER		RIGHT HAND		TIE STRAP		PRESET TIE STRAP		DRIVE LINK	
									
SKU	PRODUCT	SKU	PRODUCT	SKU	PRODUCT	SKU	PRODUCT	SKU	PRODUCT
512890	LH Cutter for 18HX	512891	RH Cutter for 18HX	518812	Tie Strap for 18HX	512893	Preset Tie Strap for 18HX	512892	Drive Link for 18HX
597691	LH Cutter for 19HX	597692	RH Cutter for 19HX	597693	Tie Strap for 19HX	597694	Preset Tie Strap for 19HX	597695	Drive Link for 19HX

Oregon .404" Solid Harvester Guide Bars

OREGON

Oregon Solid Harvester (Sprocket-Nose) guide bars deliver superior performance in demanding, high speed conditions. This bar resists chipping and features outstanding springback. High-grade alloy-steel material and induction-hardened bar rails make it tough and durable.

SKU	POPULAR APPLICATION
002HSFL114	Denharco / Risley / Hultdins / Rotobec / Woodking
422HSFM104	Hultdins / Logmax / Timbco / Timberjack / Valmet / Waratah
542HSFL104	Caterpillar / Denharco / Dyna / Ponsse / Timbco / Waratah
542HSFL114	Caterpillar /
592HSFL104	Logmax / Waratah / Caterpillar / Ponsse / Prentice
602HSFL163	Logmax / Waratah
642HSFL003	Propac
642HSFL104	Bell / Blockbuster / Caterpillar / Dyna / Hultdins / Logmax / Logset / Ponsse / Prentice / Risley / Timberjack / Valmet / Waratah
642HSFL114	Blockbuster / Hultdins / Southstar / Timberjack / Woodbine
642HSFN104	Caterpillar / Dyna / Ponsse / Valmet
732HSFM226	Builtite, Timberwolf
752HSFB149	Caterpillar / Hultdins / Komatsu / Ponsse / LogMax / Valmet
752HSFD149	Caterpillar / Hultdins / Komatsu / Ponsse / LogMax / Valmet
752HSFL003	Propac
752HSFL104	Blockbuster / Caterpillar / Dyna / Hultdins / LogMax / Logset / Ponsse / Timberjack / Valmet / Waratah



SKU	POPULAR APPLICATION
752HSFL114	Blockbuster / Hultdins / Rottne / Timbco / Timberjack / Waratah / Woodking
752HSFL149	Hultdins / John Deere / Logmax / Timbco / Timberjack / Waratah
752HSFL205	Bell
752HSFN104	Blockbuster / Caterpillar / Ponsse / Rottne / Valmet
752HSFN114	Denharco / Fabtek / Hurricana / Logmax / Waratah / Woodking
802HSFL114	Denharco / Hultdins / Timberjack / John Deere / Waratah
802HSFN114	Waratah / Woodbine
822HSFB149	Hultdins / Komatsu / Logmax / Ponsse / Timberjack / Valmet / Waratah
822HSFL149	Hultdins / John Deere / Logmax / Timberjack / Waratah
882HSFL114	Denharco / Hultdins / Woodking
902HSFL114	Blockbuster / Denharco / Hultdins / Rottne / Waratah
902HSFL149	Hultdins / Logmax / Waratah
902HSFL205	Bell
902HSFN114	Denharco / Multitek / Risley / Waratah / Woodbine

Oregon .404" Solid Harvester RSN Guide Bar

OREGON


The **Solid Harvester Replacement Sprocket Nose (RSN) guide bar** delivers a superior performance for high-speed mechanical harvesting conditions. The 11-tooth nose has a motor mount configuration designed for efficiency.



SKU	PRODUCT
002RHFL114	Denharco, Risley, Hultdins, Rotobec
542RHFL104	Denharco / Waratah / Ponsse / Rottne / Timbco
602RHFL163	Logmax / Waratah
642RHFL104	Blockbuster / Hultdins / Caterpillar / Logmax
752RHFD149	Ponsse
752RHFL003	Propac
752RHFL104	Blockbuster / Hultdins / Caterpillar / Logmax / Prentice / Timberjack
752RHFL114	Blockbuster / Denharco / Hultdins / Caterpillar / Prentice
752RHFL149	John Deere / Logmax / Timbco / Timberjack / Waratah / Caterpillar / Hultdins / Ponsse / Valmet
822RHFB149	Cranab / Hultdins / LogMax / Komatsu / Ponsse / Valmet / Waratah
822RHFL149	Timberjack / Waratah / Logmax / John Deere
902RHFL114	Risley / Rottne / Hultdins / Denharco / Blockbuster

How the harvester guide bar numbering system works

Oregon guide bar part numbers are printed on the bar package and etched on the bar body. Here's what each digit means:





Oregon .404" Harvester SpeedMax XL RSN Guide Bars

Minimize the time between cuts and reduce vibration for your entire cutting system. The **SpeedMax XL Replaceable Sprocket Nose (RSN)** guide bar features a wider and stronger body with a re-engineered tail contour that is less likely to throw chain.

OREGON



SKU	POPULAR APPLICATION
542SMRQ104	Caterpillar / Denharco / Dyna / Ponsse / Timbco / Waratah
592SMRQ104	Logmax / Waratah / Caterpillar / Ponsse / Prentice
602SMRQ163	Logmax / Waratah
642SMRQ003	Propac
642SMRQ104	Bell / Blockbuster / Caterpillar / Dyna / Hultdins / Logmax / Logset / Ponsse / Prentice / Risley / Timberjack / Valmet / Waratah
642SMRQ114	Blockbuster / Hultdins / Southstar / Timberjack / Woodbine
672SMRQ163	
752SMRQ003	Propac
752SMRQ104	Blockbuster / Caterpillar / Dyna / Hultdins / LogMax / Logset / Ponsse / Timberjack / Valmet / Waratah
752SMRQ114	Blockbuster / Hultdins / Rottne / Timbco / Timberjack / Waratah / Woodking
752SMRQ149	Huldins / John Deere / Logmax / Timbco / Timberjack / Waratah
802SMRQ104	
802SMRQ114	Denharco / Huldins / Timberjack / John Deere / Waratah
822SMRQ149	Huldins / Komatsu / Logmax / Ponsse / Timberjack / Valmet / Waratah

SKU	POPULAR APPLICATION
902SMRQ114	Blockbuster / Denharco / Hultdins / Rottne / Waratah
902SMRQ149	Huldins / Logmax / Waratah
002SMRQ114	Denharco / Risley / Hultdins / Rotobec / Woodking
642SMRR104	Caterpillar, G&R, Hahn, Pierce Pacific, Harricana, Komatsu, Lako, Ponsse, Silvatec, Valmet, Viking
752SMRR104	Caterpillar, Denharco, Eco Log, Pierce Pacific, Harricana, Komatsu, LogMax, Ponsse, Rottne, Silvatec, Valmet, Votec, Woodking
752SMRR114	Danzco, Denharco, Pierce Pacific
752SMRR149	Komatsu, Logmax, Ponsse, Valmet
802SMRR114	Waratah
822SMRR149	Komatsu, Ponsse, Valmet, Waratah
602SMRS163	
672SMRS163	
752SMRS149	Logmax, Ponsse
822SMRS149	Logmax, Ponsse
902SMRS149	Logmax

Oregon .404" SpeedMax XL Replaceable Nose

OREGON

You'll receive superior wear coverage and fewer rotations with the .404" Speedmax XL. This model has a 40% longer nose, larger 14-tooth sprockets, and industrial-strength alloy bearings that are 14% thicker than competing models.



SKU	PRODUCT
SMR14T	.404" Replaceable Tip
578417	Rivet Kit - .404" pitch, 0.080" gauge, 25 rivets per package

Oregon .404" Replaceable Sprocket Nose

OREGON

Reliable and durable, the .404" model has 11-tooth sprockets, industrial-strength bearings, and an extended 4" nose.



SKU	PRODUCT
537245	.404" Replaceable Tip
529035	Rivet Kit - .404" pitch, 0.080" gauge, 25 rivets per package
101918	Replacement Sprocket

Bel-Ray Hi-Tac Bar and Chain Oil

Bel-Ray Hi-Tac Bar and Chain Oils is designed to prevent rusting and reduce wear and linkage breakage thus extending bar and chain life. Penetration into rivet holes and the bar channel is assured. Designed especially for lubrication of bar and chain saws and open or enclosed chains on motorcycles, snowmobiles, and lawn and garden equipment. Additional benefits include high load carrying capacity minimizing wear of bar and chain, reduced throw off and heat build-up, and rust and corrosion protection.

SKU	SIZE	PRODUCT
302431150190	1 Gallon	Bar and Chain Oil



Oregon 3/4" Pitch Harvester Drive Sprockets and Repair Kits

OREGON

For use on all 3/4" mechanical timber harvester equipment, these sprockets are built tough with specialized features to tackle any application safely and efficiently.


SKU	TYPE	DESCRIPTION	BORE	OREGON #	CROSS REF	POPULAR APPLICATION
9TRH-SP2021	Rim	Rim w/ hub	21 spline	108962	402164	Rolly II
9TR-20	Rim	Rim	1.25"	108872	402195	Timbco, CTR, Hudson + Others
9TS 10-20	Spur	Spur 5/8" Star (9 tooth)	1.25"	108863	400545, CTR43031077, Riley 4501	Hudson, CTR, Timberjack Delimbers
9TS 16-15	Spur	Spur - 1" Star	15/16"	108864	402268	L&M, Multitek saws
9TS 16-18	Spur	Spur - 1" Star (9 tooth)	1-1/8"	108865	401316, CTR-108865, FEC10007	FEC Slasher
9TSF14-SP21	Spur	Spur w/ flange	21 Spline	503869	402163	Rolly II
9TP-20	Pin	9 pin	1.25"	108867	401819, Riley F4529, F4537	Timbco
9TPH-SP8833	Pin	9-pin w/hub	14 spline	503866		Fabtek
PK-9P	Pin Kit	Pin Kit for 9-pin sprockets		108873	401320, FEC 10012, Timbco 10779	FEC, Timbco
PK-15P	Pin Kit	Pin Kit for 15-pin sprockets			401321, FEC 10015, Riley F4504	Riley, CTR, Prentice, FEC slashers
PK-8P	Pin Kit	Pin Kit for 8-pin sprockets				



Oregon .404" Pitch Harvester Sprockets

OREGON

Oregon .404"-pitch mechanical harvester drive sprockets are designed to match both Oregon 18HX and 19HX chains.



SKU	TEETH	BORE
ORA10404XL	10 tooth	22.55mm spline
ORA11404	11 tooth	22.55mm spline
ORA12404	12 tooth	22.5 mm spline
ORA14404XL	14 tooth	22.55mm spline
OR-B10-404	10 tooth	20mm keyed
ORB11404XL	11 tooth	20mm keyed
ORB12404	12 tooth	20mm keyed
ORB14404	14 tooth	20mm keyed


SKU	TEETH	BORE
OR-C10-404	10 tooth	25mm keyed
ORC11404XL	11 tooth	25mm keyed
ORC12404XL	12 tooth	25mm keyed
ORC13404XL	13 tooth	25mm keyed
ORC14404XL	14 tooth	25mm keyed
ORC16404XL	16 tooth	25mm keyed
ORC17404XL	17 tooth	25mm keyed
ORD14404XL	14 tooth	22.5mm spline w/ hub

Oregon Keyless Frictional HarvesterLok System

OREGON

The **keyless frictional HarvesterLok System** is designed for zero-backlash on shaft-to-hub or coupling. The locking applies uniform pressure to eliminate distortion and warping. Simple and quick to install with exact sprocket to bar line-up and no axial movement.

SKU	DESCRIPTION
OR-HL1-14	7/8" Bore
OR9-HL1-15	15/16" Bore
OR9-HL1-16	1" Bore
OR9-HL1-18	1 1/8" Bore
OR9-HL1-20	1 1/4" Bore
OR9-HL1-30	30 MM
HL1-14	Hub for OR9-HL1-14
HL1-15	Hub for OR9-HL1-15
HL1-16	Hub for OR9-HL1-16
HL1-18	Hub for OR9-HL1-18
HL1-20	Hub for OR9-HL1-20
HL1-30	Hub for OR9-HL1-30



handheld chains + bars

Oregon Pole Saw Chains


OREGON

90PX Advance Cut offers higher chain efficiency, ideal for small, low-powered saws great for homeowners and landscapers (replaces 90SG). Our narrow kerf cutting systems increase efficiency. They need less power from the saw than standard cutting systems. The narrow .043" gauge reduces the weight of the bar and chain by roughly 15%. Low-vibration, low kickback Chamfer Chisel cutters' twin cutting corners offer outstanding performance. They are durable, easy to maintain and forgiving, comparable to round-cornered chains. Bumper drive link paired with depth gauge design, offers reduced kickback with strong performance. Always use with guide bars designed for narrow kerf saw chain.

91PXL Control Cut is a high-performance Low Profile chain, is ideal for property owner or professionals using light-weight chainsaws, who prefer low kickback. Cutter top-plates are 33% longer than standard 91 cutters. The low vibration, low kickback semi-chisel cutters give you an aggressive cutting edge. **91PXL** also offers a forgiving sharpening profile and good stay-sharp. Bumper drive link paired with depth gauge design offers reduced kickback with strong performance.

91VXL Versa Cut is a high-performance, Low Profile chain. It's ideal for professional arborists and orchardists who use light-weight chain saws. Cutter top-plates are 33% longer than standard 91 cutters. Low vibration, semi-chisel cutters provide an aggressive cutting edge with a forgiving sharpening profile and good stay-sharp.

SKU	SIZE	PRODUCT	POPULAR APPLICATION
91PXL044G	91PXL, 44 Drive links	Control Cut Saw Chain .050	Stihl
91VXL044G	91VXL, 44 Drive links	Versa Cut Saw Chain .050	Stihl
90PX050G	90PX, 50 Drive links	Advance Cut Saw Chain .043	Stihl
91VXL050G	91VXL, 50 Drive links	Versa Cut Saw Chain .050	Stihl
90PX055G	90PX, 55 Drive links	Advance Cut Saw Chain .043	Stihl
91VXL055G	91VXL, 55 Drive links	Versa Cut Saw Chain .050	Stihl
90PX045G	90PX, 45 Drive links	Advance Cut Saw Chain .043	Husqvarna
91VXL045G	91VXL, 45 Drive links	Versa Cut Saw Chain .050	Husqvarna
90PX052G	90PX, 52 Drive links	Advance Cut Saw Chain .043	Husqvarna
91VXL052G	91VXL, 52 Drive links	Versa Cut Saw Chain .050	Husqvarna
90PX056G	90PX, 56 Drive links	Advance Cut Saw Chain .043	Husqvarna
91VXL056G	91VXL, 56 Drive links	Versa Cut Saw Chain .050	Husqvarna




Oregon Pole Saw Bars

OREGON

Single Rivet bars are for homeowners who only have an occasional need to use a chainsaw. The single-rivet, smaller-radius noses helps reduce kickback.

Advance Cut bars are for experienced homeowners, as well as farmers and firewood cutters. Multi-rivet nose, light-weight, and maneuverable.

SKU	SIZE	PRODUCT	POPULAR APPLICATION
120SDEA074	12"	Single Rivet .050	Stihl
144MLEA074	14"	Single Rivet .043	Stihl
140SXEA074	14"	AdvanceCut 0.50	Stihl
164MLEA074	16"	Single Rivet .043	Stihl
160SXEA074	16"	AdvanceCut 0.50	Stihl
160SDEA074	16"	Single Rivet .050	Stihl
120SDEA041	12"	Single Rivet .050	Husqvarna
140SDEA041	14"	Single Rivet .050	Husqvarna
160SDEA041	16"	Single Rivet .050	Husqvarna




Oregon PowerCut Chain Saw Bars


OREGON

PowerCut Chain Saw Bars for loggers and other users who require a tough, heavy-use tool. The chrome-moly body helps reduce wear and promotes a longer lifespan.

SKU	SIZE	PRODUCT	POPULAR APPLICATION
200RND025	20"	PowerCut	Stihl
240RND025	24"	PowerCut	Stihl
200RND009	20"	PowerCut	Husqvarna
240RND009	24"	PowerCut	Husqvarna



D025



D009

Oregon PowerCut Saw Chains

OREGON

PowerCut Saw Chain with a reshaped cutter and multi-axis grind technology for superior performance, sharpness and consistency; now the top option for professional woodcutters who use 3/8" pitch saws (replaces 72, 73, 75LGX & JPX). This low-vibration, full chisel cutter chain is engineered to utilize the power of today's professional saws and reduce the force applied by the operator. Designed to maximize every cut, our proprietary cutter technology gives users a sharper, more durable cutting edge that provides increased cutting performance with less effort.

SKU	SIZE	PRODUCT
72EXJ072G	72EXJ, 72 Drive links	PowerCut Saw Chain (Skip sequence)
72EXJ084G	72EXJ, 84 Drive links	PowerCut Saw Chain (Skip sequence)
72EXL072G	72EXL, 72 Drive links	PowerCut Saw Chain (Std sequence)
72EXL084G	72EXL, 84 Drive links	PowerCut Saw Chain (Std sequence)



Showing 72 EXL

72 EXJ   

72 EXL   



accessories

Oregon Heavy-Duty Chain Breaker

OREGON

This multi-purpose tool breaks all chain pitches, including 3/4", and can also be used to drive out bar nose rivets, including the nose rivets on big 3/4" pitch harvester bars. Heavy-duty materials and top-quality components are used throughout, and replacement parts are available separately to keep this ultimate shop tool in service for a long time. Punches for all chain pitches are included. Anvil for 3/4" pitch chain must be purchased separately.

SKU	SIZE	PRODUCT DESCRIPTION
24548-SI		Heavy-Duty Chain Breaker
38594	1/4", .325", 3/8", .404	1/4", .325", 3/8", .404 Chain Punch
110438SI	3/4"	3/4" Chain Punch
102623SI		Bar Nose Rivet Punch
111939		Anvil



Oregon Chain Breaker Anvils


OREGON

Compatible with the Oregon Heavy-Duty Chain Breaker.

SKU	SIZE	PRODUCT DESCRIPTION
25049	3/4"	Anvil 3/4"
105530	.404"	Adjustable Anvil, up to .404"



25049



105530

Oregon Heavy-Duty Rivet Spinner

OREGON

The heavy-weight champion of hand-operated rivet spinners. Designed to meet all rivet spinning needs. Spins all chain rivets up to .404" pitch, and adapts easily for spinning 3/4" rivets when used with the 3/4" pitch adapter kit below.

SKU	SIZE	PRODUCT DESCRIPTION
24549-SI		Heavy-Duty Rivet Spinner
108742si	3/4"	3/4" Heavy-Duty Rivet Spinner Adapter Kit
100871	3/4"	3/4" Rivet Spinner Adapter Kit
38597	3/8", .404	3/8", .404" Anvil
108790si	3/4"	3/4" Spinner Anvil



Oregon Multi-Purpose Maintenance Tools

OREGON

Our handy, multi-purpose maintenance tools are a beneficial assistant to any logger performing these common 3/4" or .404" harvester bars and chain maintenance tasks: Aligning the sprocket to guide bar, Cleaning the bar groove, Straightening the bar groove, Measuring the bar groove depth, Measuring/adjusting for chain stretch, Gauging grinding wheel dress.

SKU	SIZE	PRODUCT DESCRIPTION
533689	.404"	Metal, multi-purpose measure tool
596397	.404"	Plastic, multi-purpose measure tool



533689



596397

Oregon Double-Cut Round Files

OREGON

The **double-cut file** from **Oregon** is an outstanding file for sharpening saw chain.

- State-of-the-art production and finishing processes
- Superior performance
- Smooth filing action
- Resists clogging
- Finest steel material
- Long stay-sharp

SKU	SIZE	PRODUCT DESCRIPTION
70502	7/32"	Pack of 12 Round files for .404" pitch chain
90410	5/16"	Pack of 6 Round files for 3/4" pitch chain



Oregon Flat Files

OREGON

Used in combination with **Oregon** depth gauge tool.

SKU	SIZE	PRODUCT DESCRIPTION
12211	3/4"	Pack of 12 Flat files for .404" and 3/4" pitch chains



Oregon Professional Maintenance Kits

OREGON

The **Oregon Professional Maintenance Kit** for chain saw chains and guide bars.

Pocket-sized gauge for quick and easy identification. Measures Chain pitch, Chain gauge, Bar groove width, and File size.

SKU	SIZE	PRODUCT DESCRIPTION
558488	5/32" File	Bar maintenance Kit 1/4 & 3/8 LoPro Pitch
558549	11/64" File	Bar maintenance Kit 3/8 LoPro & .325 Pitch
558550	3/16" File	Bar maintenance Kit .325 Pitch
558551	7/32" File	Bar maintenance Kit 3/8 & .404 Pitch
556418		Bar & Chain Replacement Measuring Tool



Oregon Grease Gun

OREGON

The **Oregon Grease Gun** reduces friction and enhance performance in a variety of chain saw applications.

SKU	PRODUCT DESCRIPTION
40469-A	Single Use Grease Gun
21939.00	Premium Steel Grease Gun
110534.00	Premium Steel Grease Gun with cartridge
108653.00	Pack of 3 Grease Gun Refill Cartridge



21939.00

40469-A

110534.00

Oregon Quick Reference Chain Scale

OREGON

This reference chart provides a quick link count for 1/4", 3/8" Low Profile .325", 3/8", .404", and 3/4" pitch chains. Shipped in three sections, this time-saver can be customized to meet various lengths of chain.

SKU	PRODUCT DESCRIPTION
533129.00	Quick Reference Chain Scale






Oregon Forestry Wedges

OREGON

Durable, Light-weight, Serrations hold wedge in the tree securely

SKU	SIZE	PRODUCT
23562	5 1/2"	Forestry Wedges
23561	8"	Forestry Wedges
23560	10"	Forestry Wedges
26782	12"	Forestry Wedges



K & H Felling Wedges

Since 1962 K & H felling wedges are also known as "red head" wedges because of their distinctive head color.

SPECS + FEATURES

- Made from very hard high impact ABS plastic.
- Light textured surface to keep them from slipping
- Easy to drive
- Great lifting power

SKU	SIZE	PRODUCT
5 1/2 PL	5 1/2"	000382 Felling Wedges
7 1/2 PL	7 1/2"	000383 Felling Wedges
10TT	10"	000384 Felling Wedges, Tapered



Weaver Wedge and Srench Holster



Constructed of durable polypropylene with loop for attachment to belt, features 3 1/2" wide pocket for holding wedges and 2" wide pockets on the sides.

SKU	PRODUCT
0897235	Wedge and Srench holster



Marking Crayons

OREGON

Writes and marks on wood, metal, stone, concrete, tiles, ceramic, plastic, glass, rubber, etc.

SKU	PRODUCT
295360	Blue - Box of 12 Crayons
295361	Red - Box of 12 Crayons
295363	Yellow - Box of 12 Crayons
295365	Black - Box of 12 Crayons
520272	Crayon Holder



Spencer Tape

Available in a number of lengths/scales designed to measure the diameter of trees.

- Designed for heavy-duty use in the logging industry
- Rugged aircraft aluminum case with automatic rewind
- Open reel design with gear drive

SKU	SIZE	PRODUCT
65115 (45115)	50'	Auto-Rewind Logging Tape
65119 (45119)	50'	Refill Auto-Rewind Logging Tape
65135 (45135)	50'	Tape with 19" Dymax Leader
69829		Release Nail
69835		Claw Nail
69837		Horseshoe Nail
69836		Tape Nail



Oregon Multi Tool

9 tools in one that allows the user to work on chain saws, cutoff saws, trimmers, and blowers in the field.

SPECS + FEATURES

- Contains convenient assortment of screw- drivers, bar groove cleaner, 4 mm Allen Wrench plus several other tools
- Nylon pouch so you can hang it on your belt and take it with you
- A set of holes in the socket allow a chain saw file to be placed and act as a file handle

SKU	SIZE	PRODUCT
57-020	Universal	Multi Tool



OREGON


Oregon Srenches

A combination screwdriver and wrench to make chainsaw guidebar removal, chain tensioning, and other chain saw maintenance easier

SPECS + FEATURES

- All metal design combines a wrench and screwdriver to make an all-in-one tool
- Ideal for replacing chainsaw bars and chain tensioning
- Long body provides more leverage while working

SKU	S1 & S2	PRODUCT
57-005	13 x 19	Srenches
57-017	13 x 19	Srenches
57-016	13 x 19	Srenches
57-003	19 x 10	Srenches
57-002	16 x 13	Srenches
57-008	19 x 17	Srenches
57-019	19	Srenches
57-006	19 x 14	Srenches
57-010	21 x 17	Srenches
57-014	15 x 19	Srenches
57-001	16 x 11	Srenches



OREGON

Driver Type:												
Dimensions (mm)	S1 x S2	13 x 19	13 x 19	13 x 19	19 x 10	16 x 13	19 x 17	19	19 x 14	21 x 17	15 x 19	16 x 11
	A1	25	21	33	35	35	27	12	35	30	28	40
	L2	175	177	171	172	172	177	177	175	172	177	177
	L1	52	44	68	70	72	57	51	70	60	56	80
Oregon® No's:		57-005	57-017	57-016	57-003	57-002	57-008	57-019	57-006	57-010	57-014	57-001

grinders

Oregon Saw Chain Bench Grinders

Our **530-120H** Durable bench grinder is built with the quality and features needed for frequent high-volume chain sharpening specifically for 3/4" pitch.

The **620-120** Hydraulic assist bench mounted is a durable grinder built with the quality and features you needed for frequent high-volume chain sharpening.

SKU	SIZE	PRODUCT
530-120H	3/4"	Premium Saw Chain Bench Grinder
620-120	1/4", 3/8", .325, .404", 3/4"	Hydraulic Assist, Saw Chain Bench Grinder



Oregon Grinder Accessories

SKU	SIZE	PRODUCT
OR534-316	3/16 thick	Grinding Wheel for .325", 3/8", .404" chain
OR534-516	5/16 thick	Grinding Wheel for 3/4" chain
OR534-316A	3/16 thick	Grinding Wheel for .325", 3/8", .404" chain
OR534-516A	5/16 thick	Grinding Wheel for 3/4" chain
DB2		Dressing Brick
35596		Contour Template



Grinding Wheel

Dressing Brick



Contour Template

Oregon Universal Grinder Stand

A sturdy, long lasting stand that allows any of the Oregon bench-type chain grinders to be set up and used virtually anywhere.

Height adjustable from 44" to 53.5" and compatible with all Oregon Bench Grinders. This stand breaks down for easy shipping and is simple to assemble.

SKU	PRODUCT
554532	Works with all Oregon Grinders



OREGON Professional Safety Helmet

OREGON

The **Oregon Professional Helmet** is a high-impact and scratch resistant ABS helmet with 20 ventilation holes and crown shape for maximum breathability.

FEATURES

- UV-stabilized helmet shell with rain gutter
- Four-point, easy to adjust harness
- Highly absorbent, removable and washable sweatband
- Anti-slip headband with easy-to-use "pull-push" system for precise snug-fit
- Durable, lightweight stainless steel mesh visor with strong flip-up-and-down function and extended face protection
- Easy up-and-down adjusting earmuff system with optimum, consistent noise attenuation (NRR value 24 dB) and comfortable ear cushions

SKU	PRODUCT
564101	OREGON Professional Safety Helmet



OREGON Chain Saw Gloves

OREGON

High visibility leather gloves offer chain saw protection.

SPECS + FEATURES

- Left-hand chainsaw protection with knitted cuffs
- Exposed areas are seamless and reinforced with leather
- Waterproof, reinforced kid leather palm and hard-wearing, fluorescent water-repellent polyester back

SKU	PRODUCT
91305M	Gloves Oregon Chain Saw Gloves - Medium
91305L	Gloves Oregon Chain Saw Gloves - Large
91305XL	Gloves Oregon Chain Saw Gloves - Extra Large



MSA Forestry Safety Helmet Kit

CUSTOMIZED PRODUCT

Finally a top quality forestry/grounds person helmet kit that doesn't break the bank.

SPECS + FEATURES

- MSA V-Gard ratcheting helmet with 5 point suspension
- 3M Peltor 105 muffs rated at 30dB
- 3M Peltor metal face screen with visor
- Color Options: Orange, Yellow, Red, White

SKU	COLOR	PRODUCT
009094	Orange	Forestry Helmet Kit



Elvex ProGloves™ Chainsaw Gloves

ELVEX
DELTA PLUS PARTNER

Safe handling of chain saws begins with Elvex ProGloves™ with protective padding that stops the cutting action in seconds. Prolar™ protection on back of left hand, effectively jams chain to quickly stop cutting action.

SPECS + FEATURES

- Certified to world's leading standard: CE EN 388:4244 and CE EN 381-7; Design A/B, Class 1-20(m/s)
- Extended leather cuffs with Velcro closure, customizes fit and keeps out saw dust, chips and debris
- Rugged, wet-weather construction, water-resistant nylon fabric on upper side and suede skin on the inside for better wet weather gripping power.

SKU	PRODUCT
JEGLV-50-XL	ProGloves - Large
JEGLV-50-MED	ProGloves - Medium





Oregon Luminary Safety Glasses

OREGON

Ultra-lightweight design (0.08 lbs) makes it easy to wear all day, every day. Design includes unique, translucent temple insets for an electrifying new look.

SPECS + FEATURES

- Elastic temples help relieve pressure behind the ears and provide superior comfort.
- Fingertip nose piece reduces slippage, so glasses stay on securely.
- Large, one-piece polycarbonate lens, with an anti-scratch coating, offers durable protection.
- Wrap-around design, along with an integrated browguard, ensures complete protection.

SKU	PRODUCT
42-141	Luminary - Clear/Black
42-142	Luminary - Gray/Silver
42-143	Luminary - Amber/Black
42-144	Luminary - Pacific Blue Lens/Black
42-145	Luminary - Orange/Black
42-146	Luminary - Silver Mirror/Silver
42-147	Luminary - Blue Mirror/Black



42-141



42-142



42-143



42-145



42-144



42-146



42-147

ULTRA-LIGHTWEIGHT
AND EASY TO WEAR ALL
DAY, EVERY DAY

Elvex Xenon Safety Glasses

ELVEX
DELTA PLUS PARTNER

Elvex Xenon - Ultra lightweight makes these ultra popular worldwide, weighing only 0.77 oz. (22 g)!

SPECS + FEATURES

- Stylish looks with a comfortable fit
- Soft rubber nose bridge and colorful rubber temple inserts.
- Polycarbonate lenses absorb 99.9% of harmful UVA, B and C, 180-380nm
- Compliance: ANSI Z87.1-2010 certified.

SKU	PRODUCT
SG-14C	Xenon Wrap - Clear
SG-14I/O	Xenon Wrap - Indoor/Outdoor
SG-14A	Xenon Wrap - Amber
SG-14B	Xenon Wrap - Ice Blue
SG-14M	Xenon Wrap - Blue



SG-14C



SG-14A



SG-14M



SG-14I/O



SG-14B

Oregon Apron Safety Chaps

OREGON

Comfortable protection for your legs while logging or using your chainsaw in apron chaps design, with 8 layers breathable warp knit chainsaw protection.

SPECS + FEATURES

- Conforms to ASTM F1897-08 and UL classified
- 8 layers breathable warp knit chainsaw protection
- 32in.L; waist size adjustable up to 46in.
- Rugged 600 Denier Oxford shell stands up to the rigors of the job
- Adjustable length with top snaps on waist
- 2 adjustable leg straps deliver a custom fit

SKU	PRODUCT
564132-32	Apron Safety Chaps - 32" Length
564132-36	Apron Safety Chaps - 36" Length
564132-40	Apron Safety Chaps - 40" Length



Oregon Full-Wrap Chainsaw Chaps

OREGON

Professional full-wrap design with added calf protection provides exceptional safety. Super-tough 8-layer warp knit material is breathable to keep you cool in the field.

SPECS + FEATURES

- Conforms to ASTM F1897-08 and UL classified
- 8 layers breathable warp knit chainsaw protection; added calf protection
- 32in.L; waist size adjustable up to 46in.
- Rugged 600 Denier Oxford shell stands up to the rigors of the job
- Adjustable length with top snaps on the waist to provide added comfort
- 3 adjustable leg straps deliver a custom fit

SKU	PRODUCT
564134-32	Full-Wrap Chaps - 32" Length
564134-36	Full-Wrap Chaps - 36" Length
564134-40	Full-Wrap Chaps - 40" Length



Arborwear RAC Chainsaw Chaps

The **RAC Chaps** were developed to tackle the issues with traditional chainsaw chaps. With the Patented Daisy Fit™ System, the **RAC chaps** feature a strap system where straps are: **Replaceable** if broken or lost, **Adjustable** to various leg sizes and shapes, and **Comfortable** for all day wear, reducing discomfort and fatigue. All designed in an effort to keep you working longer and safer in the field.

SPECS + FEATURES

- 6-Layer Blocking Material - 1680 Denier Nylon Outer Layer, 400 Denier Nylon Inner Layer
- 360° of lower leg protection made with PU coating and DWR for water resistance
- Left facing wrap around pads designed for added protection from a chainsaw's natural direction of pull
- Sizing: Regular fits Inseam 30-32"; Long fits inseam 33-34"

SKU	PRODUCT
820101L	Arborwear RAC Chap Wrap - Green Long
820101R	Arborwear RAC Chap Wrap - Green Regular
820101R	Arborwear RAC Chap Wrap - Orange Regular
820101L	Arborwear RAC Chap Wrap - Orange Long



portable winch

Portable Winch PCW3000-LI

The very first Lithium-Ion battery-powered capstan winch in the world! Instant start with a button. Three speeds. Powerful motor. Interchangeable quick-charge batteries. Indoor and outdoor use.



SKU

PCW3000-LI Electric 2200 lb pulling force



Portable Winch PCW3000

The **PCW3000** capstan winch is nothing short of a tour de force to deliver incredible pulling power, in the smallest format designed by Portable Winch Co. Coupled with the 360° inclinable GX35 Honda engine, it will be your best companion no matter where your next mission is.



SKU

PCW3000 Honda GX36 1600 lb pulling force



Portable Winch PCW5000

The original winch. Whether it's for pulling trees out of the woods, getting a stuck vehicle out, or any other purpose, the inexhaustible **PCW5000** will be there to help you.



SKU

PCW5000 Honda GXH50 2200 lb pulling force



PCW5000 photo courtesy of Portable Winch

fuels + lubricants

TruFuels



SPECS + FEATURES

- Eliminates the need for Gas/oil mix
- No measuring
- Uniquely engineered high octane formula enhances engine performance
- Cleaner Ethanol Free Formula increases engine longevity.

SKU	SIZE	CASE QTY	PRODUCT
6525638	32 oz	6	Fuel, 40:1 Premix
6525538	32 oz	6	Fuel, 50:1 Premix
6527238	32 oz	6	4 Cycle Mix



VP Small Engine Fuels



SPECS + FEATURES

- Prevent ethanol-related problems
- Provides easier, more dependable starts
- Remains stable in storage
- Through the off-season and beyond
- Extends engine life
- Improves equipment performance

SKU	SIZE	CASE QTY	PRODUCT
VP6295	1 qt	8	Fuel, 40:1 Premix
VP6291	1 gallon	4	Fuel, 40:1 Premix
VP6235	1 qt	8	Fuel, 50:1 Premix
VP6231	1 gallon	4	Fuel, 50:1 Premix



Lucas Oil Anti-Wear Hydraulic Oils



SPECS + FEATURES

- Up to 12,000 hour rating
- Cleanliness Rating of 16/14/11
- Excellent wear protection in critical hydraulic pump parts
- Eliminates rust, corrosion and minimizes foam
- Designed for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings
- 55 gallon drums available for dropship only

SKU	SIZE	CASE	PRODUCT
10401	5 Gallons	1 x 1	AW ISO 32
10403	55 Gallons	1 x 1	AW ISO 32
10404	5 Gallons	1 x 1	AW ISO 46
10406	55 Gallons	1 x 1	AW ISO 46
10407	5 Gallons	1 x 1	AW ISO 68
10409	55 Gallons	1 x 1	AW ISO 68
10672	55 Gallons	1 x 1	AW ISO 150





Lucas Oil Synthetic Universal Hydraulic & Transmission Fluid

SPECS + FEATURES

- Longer component and fluid life
- Expect more hydraulic pressure, faster response and smoother operation
- Designed for all temperature extremes
- 55 gallon drums available for dropship only

SKU	SIZE	CASE	PRODUCT
10100	5 Gallons	1 x 1	Synthetic Universal Hydraulic & Transmission Fluid
10524	55 Gallons	1 x 1	Synthetic Universal Hydraulic & Transmission Fluid



LUCAS OIL

Lucas Oil Non-Conductive Anti-Wear Hydraulic Oils

SPECS + FEATURES

- Reduces deposits and sludge
- Excellent wear protection
- Excellent oxidative and thermal stability
- Recommended for use wherever non-conductive fluids are required
- Dielectric Strength of 38 Kv makes it an excellent non-conductive fluid
- High flash point reduce danger of fire
- 55 gallon drums available for dropship only

SKU	SIZE	CASE	PRODUCT
10691	5 Gallons	1 x 1	AW ISO 22
10692	55 Gallons	1 x 1	AW ISO 22
11107	5 Gallons	1 x 1	AW ISO 32
11108	55 Gallons	1 x 1	AW ISO 32



LUCAS OIL

Lucas Oil Semi-Synthetic 2-Cycle Oils

LUCAS OIL

SPECS + FEATURES

- Exclusive additive package that burns clean and helps plugs and rings last longer
- Prevents piston burning, spark plug fouling, ring sticking, and corrosion caused by combustion residues
- Clean burning "smokeless" formula
- Used in all chainsaws, weed eaters, snowmobiles, leaf blowers, motorcycles, etc.

SKU	SIZE	CASE	PRODUCT
10058	2.6 Ounces	24 x 1	Semi-Synthetic 2-Cycle Oils
10059	6.4 Ounces	24 x 1	Semi-Synthetic 2-Cycle Oils
10120	16 Ounces	12 x 1	Semi-Synthetic 2-Cycle Oils
10110	1 Quart	6 x 1	Semi-Synthetic 2-Cycle Oils
10115	1 Gallon	4 x 1	Semi-Synthetic 2-Cycle Oils
10056	5 Gallon	1 x 1	Semi-Synthetic 2-Cycle Oils
10058-D	2.6 oz Display	24 x 1	Counter Display



Lucas Oil Fuel Stabilizer

LUCAS OIL

SPECS + FEATURES

- Prevents fuel degradation and gasoline break-down during storage, preserving fuel for up to 12 months or longer
- Safe to use in all grades of gasoline and in all 2 and 4 cycle engines, inboard or outboard

SKU	SIZE	CASE	PRODUCT
10314	8 Ounces	12 x 1	Fuel Stabilizer
10302	15 Ounces	12 x 1	Fuel Stabilizer



Lucas Oil Safeguard Ethanol Fuel Conditioner **LUCAS OIL**

SPECS + FEATURES

- Specially developed to prevent corrosion and degradation in ethanol based fuels
- Cleans and maintains injectors, carburetors and valve seats
- Protects your motor oil from the harmful side effects of alcohol combustion
- For use in 2-stroke and 4-stroke engines

SKU	SIZE	CASE	PRODUCT
10929	2 Ounces	18 x 1	Safeguard Ethanol Fuel Conditioner
10670	5.25 Ounces	24 x 1	Safeguard Ethanol Fuel Conditioner
10576	16 Ounces	12 x 1	Safeguard Ethanol Fuel Conditioner



Lucas Oil Red "N" Tacky Grease **LUCAS OIL**

SPECS + FEATURES

- NLGI GC-LB Certified #2
- A technical blend of lithium and polymers plus a heavy addition of "anti-wear" / "anti-seize" agents
- Excellent for use in trucks, cars, industrial and farm equipment, boat trailers and wheel bearings
- Provides high levels of temperature stability, chassis protection, resistance to acid and alkali and resistance to rust and corrosion

SKU	SIZE	CASE	PRODUCT
10318	3 Ounces Net	10 x 1	Red "N" Tacky Grease
10574	1 Pound Net	12 x 1	Red "N" Tacky Grease



Lucas Oil Penetrating Oil **LUCAS OIL**

SPECS + FEATURES

- Use on nuts, bolts, bearings, hinges, sliding doors or a million other home and shop uses
- Contains no chlorine, fluorocarbons or silicon
- Excellent protection against water, even salt water and provides a microscopic film that rust proofs for up to a year
- A truly superior, low odor penetrate fortified with anti-seize agents designed to dissolve corrosion and rust without drying

SKU	SIZE	CASE	PRODUCT
11043	11 Ounces Net	12 x 1	Penetrating Oil



Bigfoot Ultra Outrigger Pad

Bigfoot provides a very strong, durable, and cost-effective footing for all your rigging applications. Applications for our outrigger pads include: cranes, bucket trucks, utility trucks, fire trucks, concrete pumps, any type of aerial equipment

SPECS + FEATURES

- UHMW Plastic or Wood (Baltic Birch, Plywood, Laminated, Bolted) making them non-conductive
- Easy-to-Clean, Chemical & Oil Resistant
- Storage-Friendly
- Durable & Long Lasting
- Rope Handles
- Lifetime Guarantee
- 36 x 36 x 1" – Black square, Sq Inches 1,296; Weight 45 lbs; Vert. Load Cap. 93,000; 45° Load Cap. 43,000; Crush Rate 200
- 18 x 18 x 1" – Orange square, Sq Inches 324; Weight 11 lbs; Vert. Load Cap. 55,000; 45° Load Cap. 26,000; Crush Rate 200
- 24 x 24 x 1" – Orange square, Sq Inches 576; Weight 20 lbs; Vert. Load Cap. 60,000; 45° Load Cap. 30,000; Crush Rate 200
- 24 x 24 x 2" – Orange square, Sq Inches 576; Weight 40 lbs; Vert. Load Cap. 80,000; 45° Load Cap. 40,000; Crush Rate 500
- 20 x 20 x 2" – Wood square, Weight 21 lbs

SKU	SIZE	ATTRIBUTE	PRODUCT
P363610 BLK	36 x 36 x 1"	Black	Outrigger 1" Pad
P181810 S.O.	18 x 18 x 1"	Orange	Outrigger 1" Pad
P242410 S.O.	24 x 24 x 1"	Orange	Outrigger 1" Pad
P242420 S.O.	24 x 24 x 2"	Orange	Outrigger 2" Pad
W202020	20 x 20 x 2"	Wood	Outrigger 2" Pad Wood



AlturnaMATS

They withstand vehicles weighing up to 60 tons, bend but do not break and they feature a Limited Lifetime Warranty. **AlturnaMATS** have been tested in record cold and heat. With **AlturnaMATS**, getting stuck is virtually eliminated.

SPECS + FEATURES

- Rugged 1/2" thick recycled polyethylene so they are virtually indestructible
- Max Traction Diamond Plate Tread Design
- Mats can be locked together with Turn-A-Links forming a continuous roadway or workable platform in minutes
- Available smooth on one side or smooth on both sides
- Simply hosing down leaves the mats clean

*MatPak includes 12 Mats, 20 Connecting Links, 2 Handi Hooks, 2 Ratchet Straps, and Carrying Frame

SKU	SIZE	ATTRIBUTE	PRODUCT
CMCP4	4X8	Clear	MatPak' 1126 lbs
AMCP3S1 SMOOTH ONE SIDE	3X8	Black	MatPak' 868 lbs
AMCP4S1 SMOOTH ONE SIDE	4X8	Black	MatPak' 1126 lbs
CMCP4S1 SMOOTH ONE SIDE	4X8	Clear	MatPak' 1126 lbs
CMCP3S1 SMOOTH ONE SIDE	3X8	Clear	MatPak' 868 lbs
AM48S1	4X8	Black	Single Mat 86 lbs
AM38S1	3X8	Black	Single Mat 64 lbs
CM48S1	4X8	Clear	Single Mat 86 lbs
CM38S1	3X8	Clear	Single Mat 64 lbs



Samson Pro-Master



Pro-Master is a tough, durable, 3-strand rigging rope. It remains firm, round, and flexible with use. It has a soft hand with excellent lock-grip and knot-holding capabilities. Excellent abrasion resistance and UV resistant.



SKU	FT	PRODUCT
PM58150	150'	Pro-Master - 5/8" 16 mm
PM34150	150'	Pro-Master - 3/4" 19 mm

Pelican Matador Bull Rope



Matador Bull Rope combines a polyester cover over a nylon core, creating a high force rope that offers dependability and unsurpassed resistance to abrasion, sunlight and common chemicals. **Matador's** urethane coating provides an additional UV protection and increased abrasion resistance.



SKU	FT	PRODUCT
PBR58150	150'	Matador Orange - 5/8" 16 mm
PBR34150	150'	Matador Yellow - 3/4" 19 mm
PBR1X150	150'	Matador Red - 1" 25.5 mm

Samson Stable Braid



Stable Braid is a low stretch Double-Braid, high strength-to-weight ratio, and torque-free construction. It is durable with excellent abrasion and UV resistance. **Stable Braid** offers durability, ease of handling and spliceability so you can take full advantage of its high strength.



SKU	FT	PRODUCT
SB58150	150'	Stable Braid Red - 5/8" 16 mm
SB34150	150'	Stable Braid Orange - 3/4" 18 mm

Samson AmSteel Blue



AmSteel offers the highest strength to weight ratios, floats, has superior flex fatigue and wear resistance. Great choice for chipper or winch lines and other applications requiring extremely high pulling strength.



SKU	FT	PRODUCT
007286	150'	AmSteel Blue - 3/8" 9.5 mm

Weaver All Purpose Gear Backpack



Weaver all purpose gear pack will allow the user to fit just about anything they need into one efficient pack. Includes straps for backpack design to haul all your gear in and out of a jobsite.

SKU	COLOR	PRODUCT
0807185	Blue	All Purpose Gear Backpack



BIG BLUE. SIMPLY
HOLDS A LOT.

Edelrid Medium (9L) Tool Bag



Great adjustable bag for so many applications; pockets can be removed or rearranged for maximum suitability for tasks: speedline kit, rigging bag, pruning tools, and more.

SPECS + FEATURES

- 4 flexible and movable (velcro) pockets for practically storing tools or camera lenses
- Part mesh top for airflow and robust tarpaulin material
- Weight: 690 g | 1.52 lbs
- Color: Night/Oasis

SKU	SIZE	PRODUCT
721260090170	9 L	Medium Tool Bag 9L



ORGANIZE YOUR RIGGING BLOCKS,
SLINGS, HARDWARE, AND MORE!



Weaver Chainsaw Bungee Lanyard

Bungee design easily stretches when you're using saw and retracts when hanging close to your saddle or belt. Not intended for breakaway.

SKU	ATTRIBUTE	PRODUCT
0898225	snap/ring	Chainsaw Bungee Lanyard
0898226	ring/ring	Chainsaw Bungee Lanyard



Weaver Chainsaw Strap with Snap/Ring



Nylon straps with a half twist ensure tools stay close. Static material, non-bungee.

SKU	ATTRIBUTE	PRODUCT
0898211	snap	Chainsaw Strap With Snap
0898213	ring	Chainsaw Loop With Ring



Teufelberger antiSHOCK Chainsaw Lanyard



Versatile shock absorbing activated bungee design that activates at 240daN. The hidden shock bungee eases and absorbs any fall or load impact. Excellent design.

SKU	ATTRIBUTE	PRODUCT
7350845	carabiner/loop	Lanyard antiSHOCK Chainsaw



BUCK Tear Away Bungee Chainsaw Lanyard



BUCK's Tear Away Bungee Chainsaw Lanyard is designed for safety and convenience. It is constructed with a tear away safety pack that activates at 200lbs of force applied.

SKU	ATTRIBUTE	PRODUCT
25Y13-48A	ring/loop	Tear Away Chainsaw Bungee Lanyard



Rock Exotica transPORTER Tool Carrier



The transPORTER is designed as a waist tool holder. The unique winged gate on this tool clip allow user to access and retrieve tools with one hand.

SKU	ATTRIBUTE	PRODUCT
C5M		transPORTER Tool Carrier



CMI Heavy Duty Loop Runner



Strongest Loop runners on the market. Built to hold up to 14,000 lbs of tension.

SKU	ATTRIBUTE	PRODUCT
AAS48HD	48"	Heavy Duty Web Loop Runner



CMI Shembiner Chainsaw Clips

CMI

The **Shem** is a high grade, lightweight, aluminum hook engineered to hold your chainsaw close to your belt or harness.

SKU	ATTRIBUTE	PRODUCT
SHEMBINER REG	Regular	Shembiner Chainsaw Clip
SHEMBINER XL	XL	Shembiner Chainsaw Clip



Dan House Rope Sleeve Friction Savers

The Dan House rope friction Saver device, also known as the "Anaconda" is a simple conduit and friction saver. This will ensure any rigging points against any point of rigging will not be wounded.

SKU	ATTRIBUTE	PRODUCT
007796	18"	Rope Sleeve 1/2"
008591	30"	Rope Sleeve 1/2"
008592	30"	Rope Sleeve 3/4"
008593	60"	Rope Sleeve 3/4"



Courtesy of Oregon

Portable Winch/ISC Steel Locking Carabiners

Steel Locking carabiner. Perfect for any HD rigging/winch jobs.



SKU	ATTRIBUTE	PRODUCT
PCA-1701	70kN	Heavy duty rigging carabiner
PCA-1702	50kN	Heavy duty rigging carabiner
PCA-1276	25kN	Heavy duty rigging carabiner



PCA-1276
MBS: 25 kN



PCA-1702
MBS: 50 kN



PCA-1701
MBS: 70 kN



ARS Growtech EXP Telescoping Pole Saw



Light, quick, easy to extend poles let you prune up high without using ladders. The aluminum body is super lightweight and easy to maneuver with control. With a unique rectangular shape, these provide the user ultimate control.

SKU	ATTRIBUTE	PRODUCT
EXP55C	7.1'-18.4'	Full Telescoping Pole Saw Kit
EXP45C	6'-15'	Full Telescoping Pole Saw Kit



Notch SENTEI Telescoping Pole Saw



Rigid aluminum construction provides very strong resistance to bending. Comes with improved cam collar locks with rib protection. Wonderfully designed ergonomic features allow user extended pruning without fatigue. Includes Silky Saw head.

SKU	ATTRIBUTE	PRODUCT
4177-39	21'	SENTEI Telescoping Pole Saw
3177-39	16'	SENTEI Telescoping Pole Saw



Jameson FG Hollow Core Pole kit



With this kit, the end user can experience the ultimate versatility and adaptability for most jobs. The unique ferrule attachment design allows the user to quickly attach a saw head, wire raiser or pruner lopper.

SKU	SIZE	ATTRIBUTE	PRODUCT
FG-6PKG-1	12'		FG Hollow Core Pole kit



Notch NOBASU Telescoping Pole Saw



NOBASU 20' heavy duty models with larger diameter poles for greater stiffness. Feature Silky's aggressive yet smooth cutting Hayate blade with protective scabbard. Improved cam collar locks with rib lock protection. Abrasion resistant, low-profile grip for enhanced control and ergonomics during pruning. Quick connect saw head.

SKU	ATTRIBUTE	PRODUCT
4373-42	20'	NOBASU Telescoping Pole Saw



Silky ZÜBAT Pro Series Handsaw



Hands down, the best selling professional, heavy duty hand saw. Used by loggers, foresters, and arborists alike. This saw is designed to cut some wood.

SKU	SIZE	ATTRIBUTE	PRODUCT
270-39	390 mm	Curved	ZÜBAT Handsaw



Silky Bigboy 2000 Pro Series



Offers a very long extended cutting capacity. Procut applications include pruning, limbing, and construction. Very versatile for almost any situation.

SKU	SIZE	ATTRIBUTE	PRODUCT
356-36	360 mm	XLTeeth	Bigboy 2000 Pro Series



Oregon Curved Hand Saw

OREGON

This curved arborist hand saw is designed to perform any tree pruning work with the least amount of resistant and maximum comfort. Curved profile provides increased cutting power and decreases amount of force needed while pulling the saw, especially in branches that are further away from your body.

SKU	SIZE	ATTRIBUTE	PRODUCT
600136	13"	Curved	Hand Saw



Jameson Barracuda Hand Saw

JAMESON

The **Jameson Barracuda** is a multi-purpose hand saw with locking scabbard. Triple tooth cutting blade enables user to slice right through any limbs with ease. Scabbard adds protection for field usage.

SKU	SIZE	ATTRIBUTE	PRODUCT
HS-13TE-LPS	13"	Curved	Barracuda Hand Saw



Spyder Long Blade Machete

SpYder
MANUFACTURING / USA

24" all purpose long blade machete provides perfect chopping and cutting power on the move. Can be used in any field application.

SKU	SIZE	ATTRIBUTE	PRODUCT
47103	24"	Curved	Long blade machete



DMM Impact Block

DMM

Rounded edges and fairlead maintain ultimate working efficiency. Has direct connection and anchor slings ensure neighbor component compatibility.

SKU	SIZE	ATTRIBUTE	PRODUCT
IMB-S	16 mm	8,992 WLL	Impact Block Small
IMB-L	20 mm	13,489 WLL	Impact Block Large



CENTER HOLE DESIGNED FOR ADDITIONAL RIGGING LINE; ON THE ADVANTAGES OF HAVING OPTIONS.

I&I Crane Sling Poly Round Chokers

I&I
SLINGMAX

This versatile sling enable heavy load to be managed appropriately. Applications include vertical lift, bucket lift, or choker logging applications. Color coded for fast ID in the field for working limits.

SKU	SIZE	ATTRIBUTE	PRODUCT	PRODUCT
SP300-03	3'	Purple	2,400lbs WLL	Choker 2400 lbs
SP900-05	5'	Yellow	7,200lbs WLL	Choker 7200 lbs
SP1200-08	8'	Gray	9,600lbs WLL	Choker 9600 lbs
SP1700-10	10'	Brown	13,600lbs WLL	Choker 13600 lbs
SP2200-12	12'	Blue	17,600lbs WLL	Choker 17600 lbs



ADDITIONAL SIZES AVAILABLE



Sterling BARC



Sterling's BARC or Big Ass Rigging Chain is what the Sterling field testers dubbed it. Actually, **BARC** stands for Basal Anchor Rigging Chain, but who are we to argue? Try one and you'll be a believer. Building on the popularity of Sterling's versatile Chain Reactors, the **BARC** is made from 1" T9800 nylon webbing sewn into individual full-strength loops for an adjustable and incredibly strong chain.

SKU	ATTRIBUTE	PRODUCT
SW25498RC10	8.5'	BARC - Red
SW25498RC60	5'	BARC - Blue



BUCK BuckBully™ Pulley for 5/8" Rope



High strength aluminum pulley designed to be used together with OX Block.

SKU	SIZE	ATTRIBUTE	PRODUCT
5007B1	5/8"	2500 WLL	BuckBully Pulley 5/8 Rope



OX BLOCK™ by Buckingham



Rope snatch block with an integrated friction bar designed for hurt man rescue, lowering loads, lifting loads, or snubbing loads. Enables user to handle just about any application in the field.

SKU	SIZE	ATTRIBUTE	PRODUCT
50061	5/8"	1500 WLL (eye to friction bar) / 2500 WLL (eye to sheave)	Ox Block



Tylaska Rigging Rings EXCLUSIVE PRODUCT

Tylaska

These rings are lighter and smaller than a conventional pulley block. In addition to being lighter and less expensive than conventional blocks, ring ferrules are also less prone to failure since there are no pulleys to crack or bearings to foul. Made in the US.

SKU	SIZE	ATTRIBUTE	PRODUCT
TY2714	7/8"	75kN	Rigging Ring TR14
TY2720	7/8"	100kN	Rigging Ring TR20
TY2728	7/8"	125kN	Rigging Ring TR28



US Rigging Fiddle Block & Fiddle Block Kit



Used to pull trees, raise logs or lower loads. Pulley system enables user to achieve a lot of strength in pulling with limited force.

SKU	SIZE	ATTRIBUTE	PRODUCT
USR-FB-DLXR	1/2" x 50'	1000 WLL	Fiddle Block Set



Maasdam Pow'R-Pull Rope Puller 1/2"



This rope ratchet device is used to pull trees, logs, raise and lower loads one "ratchet" at a time. Can accommodate an unlimited length of 1/2" rope. Rope is not included.

SKU	SIZE	ATTRIBUTE	PRODUCT
A-O	1/2"	1500 WLL	Pow'R-Pull Rope Puller 1/2"



Fehr Bros Rigging Shackle

Load rated screw pin anchor shackle.

SKU	SIZE	ATTRIBUTE	PRODUCT
DRSPA625	5/8"		Rigging Shackle
DRSPA750	3/4"		Rigging Shackle



Buckingham Arborist Rigging Kit **NEW KIT**

The **Buckingham Arborist Rigging Kit** features all the components you will need for any rigging situation. Multiple rigging configurations can be accomplished with this assortment. This awesome kit comes packaged inside the **Deluxe Back Pack**!

BUCKINGHAM
BUCK
1898

KIT INCLUDES:

- 200' of Yale Cordage – 1/2" 12-Strand Rigging Rope
- 200' of Samson Red Stable Braid 5/8" Rigging Rope
- (1) Large Port-A-Wrap III
- (2) Dead Eye Sling with Tenex Rope
- (1) Rigging Block
- (1) Ropepro™ Buckingham Deluxe Back Pack Attachment
- (2) Steel Twist Lock Carabiner

SKU	PRODUCT
KIT145	Buckingham Arborist Rigging Kit



Dicke Worksite Signs

Get your work zone safety and preparedness all in one place.

SKU	ATTRIBUTE	PRODUCT
B36SOH	36"	Sign Bag Roll Up 36" Carrying case with Handle
SDL1000W	22"	Dynalite with Steel 22" legs
RUM36-200-WORK AREA	36"	"WORK AREA" 36" Mesh Roll Up Panel with Ribs
RUM48-200-TREE WORK	48"	"TREE WORK" 48" Roll Up with FG Ribs
DF3000X36-NR	36"	"TREE WORK AHEAD" Sign Kit with Flags 36"



B36SOH




Roll-Up Sign Bags



RUM48-200-TREE WORK

DF3000X36-NR



RUM36-200-WORK AREA

SDL1000W





Easy Harvester Bar and Chain Identification on the Oregon® Website

Easy to use! No Username or Password to remember

Go to www.oregonproducts.com, scroll down to find the **Part Finder** on the right and fill in the following:

In the top section, select **Brand & Model**

1. In the **Brand & Model** section, select the Replacement Part Type, select **Harvester**
2. Select your parts **Brand** from drop down menu. Enter the Brand of harvester equipment for which you need parts.
3. Select **Model number** from drop down menu. Enter the Model Number of the harvester equipment for which you need parts.
4. Select **Guide Bar Length** from drop down menu. Guide bar length is measured from the front of the saw to the tip of the guide bar nose – not the overall length.
5. If you know the **Pitch** and **Gauge** you can enter them, if not it's optional.
6. Then click the red **Find My Part** button.

EASY TO USE PART FINDER

The screenshot shows the 'Part Finder' section of the Oregon website. It has a header 'Find Your Part by Brand & Model -or- OEM Part Number'. Below this are two radio buttons: 'Brand & Model' (selected) and 'OEM Part Number'. The 'Brand & Model' section contains five numbered steps: 1. Select Replacement Part Type (with icons for Chains, Bars & Sprockets, Mower Blades, Harvesters, and Other Replacement Parts); 2. Select Brand (with a dropdown menu); 3. Select Model Number (with a dropdown menu); 4. Select Guide Bar Length (with a dropdown menu); 5. Select Saw Chain Pitch and Gauge and Kickback Level (with dropdown menus for Pitch, Gauge, and Kickback Level). A red 'FIND MY PART >>' button is at the bottom, with a note '* Required field'.

QUICK RESULTS WITH OREGON PART NUMBERS

The screenshot shows the Oregon website's search results page. At the top is the Oregon logo and a search bar. Below the logo are navigation links: SHOP PRODUCTS, HOW-TO / MANUALS, CUSTOMER SERVICE, and DEALER / DISTRIBUTOR. The main heading is 'Part Finder Search Results'. Below this is a breadcrumb trail: Home / Part Finder / Part Finder Search Results. The page is divided into two columns. The left column contains 'Applied Filters' (Brand: CTR, Model: 434, Bar Length: 44") and 'Select Filters' (Chain Type: 110C (7), 114 (7); Pitch: 3/4" (2); Gauge: 122" (2); Drive Links: 44 (2); File Size: 5/16" (2)). A 'RETURN TO PART FINDER' button is at the bottom of the filters. The right column shows search results for 'Harvester Saw Chain' (Showing 2 items) and 'Harvester Guide Bars' (Showing 1 item). Each result includes a product image, part number, product name, and dimensions. A warning box at the top right states: 'WARNING: NOT FOR USE ON HANDHELD CHAINSAWS. Harvester products are specifically designed for mechanical processing applications only and may cause high kickback or other unexpected reactions in handheld equipment.' The bottom of the page features a footer with links to Products, About, Resources, and Contact, along with social media icons.

	3M Hardware, PPE, Accessories		GATES Belts		POULAN/WEEDEATER Replacement Parts
	ALL GEAR Accessories		GIBBS Hardware		RAPCO Carbide Chain
	ARBORMASTER Arborist Training & Education		HOFFCO-COMET Belts & Clutches		RAZORMAX Brush Blades
	ARBORTEC Clothing & Accessories		HUSQVARNA Electrolux/AYP		ROCK EXOTICA Hardware
	ARBORWEAR Hi-Vee Clothing		INTERLUBE Opti Oil & Additives		SAMSON Rope and Rope Accessories
	ARBPRO Clothing & Accessories		ISC Hardware and Rigging		SEAFOAM Motor Treatment
	ARS Cutting Tools		JAMESON Poles & Cutting Heads		SENA Bluetooth Headsets
	ART Hardware		JUNGLE JIM ACCESSORIES OPE Accessories		SENDEC Meters
	@HEIGHT Hardware		KASK Helmets		SILKY Cutting Tools and Parts
	B3C FUEL SOLUTIONS Fuel Treatment		KONG Hardware		SPECTRUM 2-Cycle & 4-Cycle Oil
	BAHCO Pruning Tools		KAWASAKI 4-Cycle Engine Parts		SPENCER TAPE Measuring Tools
	BOSCH Spark Plugs		KOHLER Engines & Parts		SPYDER MFG Hardware and Climbing
	BRIGGS & STRATTON Engine Parts		LAUSON LCT-Liquid Cooled Technology		STARBRITE StarTron Fuel Treatment
	BUCKINGHAM Saddles, Rope Bags, Utility		LUCAS OIL Oils, Lubricants, Cleansers & Protectants		STERLING ROPE Rope
	CAMP Harnesses and Accessories		MAASDAM POW'R PULL Rigging		SUBARU POWER OEM Replacement Parts
	CARLISLE Tires, Tubes & Wheels		MARTIN WHEEL Tires and Wheel Assemblies		TANAKA Equipment Parts
	CHAMPION Spark Plugs		MARUYAMA Outdoor Power Equipment		TECUMSEH Engines & Parts
	CLOGGER Clothing & Accessories		MAX-TORQUE Clutches		TEUFELBERGER Rope
	CMi Hardware		MTD OEM Equipment Parts		TILLOTSON Carburetors, Kits & Parts
	DMM Hardware		NEW TRIBE Harnesses and Accessories		TRUFUEL Gasoline & Oil Premix
	EDELRID Harnesses and Accessories		NGK Spark Plugs		US RIGGING Hardware and Rigging
	EFCO Outdoor Power Equipment		NORAM Clutches		VERI Trimmer Heads
	ELK RIVER Harnesses and Accessories		OREGON Chain, Bars and PPE		VP FUEL Premix Fuels & Treatments
	ELVEX / DELTA PLUS Safety Products		PARTNER Construction Products		WALBRO Carburetors, Kits & Parts
	ERIN ROPE Throw Line		PELICAN ROPE WORKS Ropes & Rigging		WEAVER LEATHER Saddles and Rope Bags
	EZ REACHER EZ Reacher & Accessories		PEERLESS GEAR Transmission, Drives & Parts		XTREME Clutches
	FANNO Cutting Tools		PFERD INC. Filing/Grinding & Sharpening		YALE CORDAGE Rope
	FLUID FILM Lubricant, Penetrant & Preventative		PIX Lawn & Garden Belts		ZAMA Carburetors, Kits & Parts
	FRED MARVIN Cutting Tools		PORTABLE WINCH Capstan Winches & Accessories		

* Not available in Florida